








Dog Soldiers Frontiersman Buckskin Shirt Body pattern



Dog Soldiers Frontiersman
Buckskins Assembly Instructions


Section 3: Final Assembly of shirt




1. With the pieces face down, line up the dot on the sleeve with the shoulder seam as shown. Make sure the front of the sleeve faces the front of the shirt.



Inside out



Rightside out





2. Carefully sew the sleeve and shoulder fringe assembly to the shirt body. Repeat for other sleeve. When finished, you should have something that looks like the center illustrations.



3. After both sleeves are attached, turn the shirt inside out and sew the bottom seam of the sleeves and the side seams.

NOTE: Fold the fringe pieces out of the way and be careful not to sew them up with the seams.




4. Center collar piece on the neck opening of the shirt back and sew it carefully inside the neck opening. Once it's attached, you may need to trim the collar points to shape them the way you want. Punch holes where indicated in and thread thin leather lace to close the neck opening.


Finish shirt by cutting all fringes as thin as possible. You may also fringe the bottom of the shirt and the cuffs.

Dog Soldiers Frontiersman Buckskins Assembly Instructions


Section 4: Assemble pants




1. Using pattern provided, trace pants pieces onto the back of your material and cut them out.




2. Lay down the front piece of this pants leg face up. On top of that, lay the fringe piece and the back sleeve piece, both face down.




3. Sew the three pieces together.



4. Repeat the process for the other leg.




5. Sew the rear seam all the way up.




6. Sew the front seam only half way up, leaving a fly.



7. Sew up the inside seam of both legs.



8. Fold the top of the pants down evenly and sew them to make a waistband.



9. Punch holes in each side of the fly opening and insert thin leather lace to tie up the pants.

